



Made in Italy

Professional Safety Footwear





IBEA Footwear

A range of professional footwear designed for operators working every day in **agriculture, forestry and landscaping**.

Developed through the collaboration between **IBEA** and **Treemme**, this collection combines Italian expertise in safety footwear manufacturing with maximum protection, comfort and long-lasting durability.

W.S.H. – Working Safely Hard

An internal quality protocol ensuring the exclusive use of certified premium materials and fully handcrafted construction on Italian-made lasts.



Perwanger® Leather

Waterproof, scratch-resistant, breathable and highly durable leather, certified according to the OEKO-TEX® Leather Standard.



Aqua Stop® Membrane

A high-performance waterproof and breathable membrane that keeps feet dry and at the optimum temperature in all working conditions.



Vibram® Soles

High-performance rubber soles from the world's leading brand in safety and outdoor footwear, tested on the most demanding terrains.

Sphere System

An innovative patented quick-lacing system that provides a precise, secure and stable fit while reducing lateral ankle movement.

Made in Italy Craftsmanship

Every pair is handcrafted in Italy, combining traditional craftsmanship with the latest manufacturing technologies.



Kong

Technical safety footwear designed for professionals requiring maximum protection, comfort and lightweight performance. The premium nubuck leather upper, aluminium toe cap, **Kevlar® anti-perforation midsole** and **Vibram® New Winkler** outsole with rear crampon compatibility make this boot ideal for forestry operations and the most demanding working environments.



Model	IB-SC-KONG
Upper	Sage green nubuck leather upper, thickness 2.2–2.4 mm Protective rubber rand on both sides, thickness 1.6 mm Collar and outer gusset in black Micro Carbon, thickness 0.9 mm Collar and inner gusset in red 3D fabric
Lining	AQUA STOP® waterproof and breathable membrane
Footbed	Kevlar® anti-perforation insole
Outsole	Vibram® 1561 New Winkler outsole with red micro midsole and rear crampon attachment
Toe Cap	Aluminium
Midsole	Kevlar® Zero Perforation multilayer composite bonded to a nylon structure
Sizes	37–48
Weight	870 g
Product Certification	AW3 00 00 50 870g. 0 UNI EN ISO 17249:2013 + UNI EN ISO 20345:2011 S7S WPA WR HI CI SC HRO FO LG



Spyro

Class 3 professional chainsaw boot designed for the most demanding forestry applications. The **durable Perwanger® leather** upper, steel toe cap, anti-perforation protection and Vibram® New Winkler outsole, compatible with rear crampons, provide the highest level of safety, stability and durability, even in the most extreme working conditions.



Model	IB-SC-SPYRO
Upper	Red Perwanger® leather upper, thickness 2.2–2.4 mm Protective rubber rand on both sides, thickness 1.6 mm Collar and outer gusset in black Micro Carbon, thickness 0.9 + 1.6 mm Collar and inner gusset in red 3D fabric
Lining	AQUA STOP® waterproof and breathable membrane with high-strength 3D Mesh fabric
Footbed	Kevlar® anti-perforation insole
Outsole	Vibram® 1561 New Winkler outsole with red micro midsole and rear crampon attachment
Toe Cap	Steel (200J)
Midsole	Kevlar® Zero Perforation multilayer composite bonded to a nylon structure
Sizes	37–48
Weight	890 g
Product Certification	AW3 00 00 50 890g. 0 UNI EN ISO 17249:2013 + UNI EN ISO 20345:2011 S3 HI CI WR CR HRO SRA – CLASSE 3





Wolf

Professional safety boot developed for forestry, agricultural and industrial applications. The **Perwanger® leather** upper, composite toe cap, **Kevlar®** anti-perforation midsole, **Vibram® Fourà** outsole and **AQUA STOP® waterproof membrane** ensure outstanding durability, comfort and reliability for everyday professional use.



Model	IB-SC-WOLF
Upper	Grey Perwanger® leather upper, thickness 2.0–2.2 mm Protective rubber rand on both sides, thickness 1.6 mm Collar and outer gusset in black suede microfiber, thickness 0.9 mm Collar and inner gusset in red 3D fabric
Lining	AQUA STOP® waterproof and breathable membrane
Footbed	Kevlar® anti-perforation insole
Outsole	Vibram® 1202 Fourà outsole with red micro midsole
Toe Cap	Composite
Midsole	Kevlar® Zero Perforation multilayer composite bonded to a nylon structure
Sizes	37–48
Weight	750 g
Product Certification	AW3 00 00 50 750 g. 0 UNI EN ISO 17249:2013 + UNI EN ISO 20345:2011 S7 HI CI SC HRO FO LGSR



Lynx

Safety shoe designed for outdoor work, featuring a **ventilated toe cap** specifically engineered to improve airflow around the toes. The aluminium toe cap, **Kevlar® anti-perforation midsole**, **AQUA STOP®** waterproof membrane and **Raptor outsole** provide excellent protection, lightweight performance and outstanding grip in every working condition.



Model	IB-SC-LYNX
Upper	Yellow Lena Perwanger® leather upper, thickness 2.0–2.2 mm Protective rubber rand on both sides, thickness 1.6 mm Collar and outer gusset in carbon-effect microfiber, thickness 0.9 mm Collar and inner gusset in red 3D fabric TPU heel reinforcement, thickness 2.0 mm
Lining	AQUA STOP® waterproof and breathable membrane with high-strength 3D Mesh fabric
Footbed	Kevlar® anti-perforation insole
Outsole	Raptor outsole with red micro midsole
Toe Cap	Perforated aluminium
Midsole	Kevlar® Zero Perforation multilayer composite bonded to a nylon structure
Sizes	37–48
Weight	700 g
Product Certification	AW3 00 00 50 700 g. 0 UNI EN ISO 17249:2013 + UNI EN ISO 20345:2011 S7S HI CI SR HRO FO SC LG



Fox



Designed for demanding outdoor activities and trekking, the **FOX** combines premium materials with Italian craftsmanship to deliver exceptional comfort, durability and protection. The **Perwanger®** leather upper, **AQUA STOP®** waterproof membrane and **Vibram® Fourà** outsole ensure reliable performance on the most challenging terrain and in changing weather conditions.

AQUA STOP®
Water Resistant and Breathable System



Model	IB-SC-FOX
Upper	Yellow Lena Perwanger® leather upper, thickness 2.0–2.2 mm Protective rubber rand on both sides, thickness 1.6 mm Collar and outer gusset in carbon-effect microfiber, thickness 0.9 mm Collar and inner gusset in red 3D fabric TPU heel reinforcement, thickness 2.0 mm
Lining	AQUA STOP® waterproof and breathable membrane
Outsole	Vibram® 1202 Fourà outsole with red micro midsole
Toe Cap	None
Sizes	37–48
Weight	630 g



Via Milano, 15/17 21049 Tradate (VA)

Tel: +39 0331 158 6940 | Fax: +39 0331 158 2268 | C.F. e P.I.: 01589110194

www.ibeait | ibeait



IBEASRL



ibeaitalia



IBEA SRL



IBEA S.r.l.



ibeait